


Colorbond®

Zincalume®





LONG LASTING BEAUTY

With 4 breakthrough technologies, COLORBOND® steel provides long lasting beauty, to ensure your project remains a work of art.



Activate™
The Unique 4 Phases
Alloy-coated Technology In The Market



Clean
Dirt Stain
Resistant Technology



Thermatech®
Solar Reflectance
Technology



**SUPERIOR DURABLE
PAINT SYSTEM**
For Long Lasting Colour Stability

Colorbond® **LONG LASTING BEAUTY**



Δ Activate™

THE UNIQUE 4 PHASES

ALLOY-COATED TECHNOLOGY IN THE MARKET

Thermatech®

Solar Reflectance Technology

Clean

Dirt Stain
Resistant Technology

Superior Durable
paint system

For Long Lasting Colour Stability



Δctivate™

THE UNIQUE 4 PHASES ALLOY-COATED TECHNOLOGY IN THE MARKET

THE NEXT GENERATION IS HERE...



20+ years
of research & development



AU\$100+ million
of R&D investment



18,000+ tested and exposed
panels in laboratory and
real world environment




20+ patents for BlueScope's
industry leading alloy coating structure
and its manufacturing process

BlueScope is proud to present Activate™ - the breakthrough technology, developed to withstand severe environments. The new technology has set an industry benchmark for alloy-coated steel technology in the market with the new generation COLORBOND® and ZINCALUME® steels.




ACTIVATE™ TECHNOLOGY **THE MICROSTRUCTURE OF 4 PHASES AND** **SELF-SEALING PROPERTIES FOR SUPERIOR CORROSION RESISTANCE**

The key factor behind BlueScope's patented ACTIVATE™ technology lies in the unique composition and microstructure of 4 phases including Aluminium - Zinc and 2 special Magnesium compounds.



With the unique composition and microstructure of the 4 phases, the new generation COLORBOND® and ZINCALUME® steels create a self-sealing effect which greatly improves corrosion resistance at cut edges, screw holes, and scratches. This mechanism protects projects in severe environments such as marine and polluted industrial sites, enabling them to withstand the test of time.






HOW ACTIVATE™ TECHNOLOGY WORKS

Protective Coating


Base Metal



The active metallic coating provides superior corrosion resistance for the coated metal via two strategically positioned magnesium compounds.

Protective Coating


Base Metal



The first magnesium compound is activated at the start of weathering. In the presence of moisture, a thin zinc aluminium oxide layer forms on the surface. The magnesium compound ($MgZn_2$) makes the oxide layer more stable and less permeable, providing a better barrier against corrosion, especially at cut edges and scratched areas.

Protective Coating

Base Metal



Deeper within the coating, the second magnesium compound (Mg_2Si) provides the additional barrier, preventing corrosion from reaching the base metal. The process activates the aluminium and reduces coating loss for longer, ensuring long-term protection.

Al-rich area

Zn-rich area

$MgZn_2$

Mg_2Si

Alloy layer

Protective oxide layer

Careful process control ensures that most of the magnesium silicide is positioned towards the bottom portion of the coating layer (close to the base steel), while most of the magnesium-zinc is positioned towards the top portion of the coating layer. This positioning is an important factor in enabling the improved corrosion resistance of the alloy coating with Activate™ technology.



WITHSTANDING THE TEST OF TIME

COMPREHENSIVE TESTING OVER 20 YEARS

To ensure the new generation of COLORBOND® and ZINCALUME® steels with Activate™ technology live up to the highest expectations in durability, BlueScope conducted a comprehensive testing programme that included accelerated laboratory corrosion tests, as well as real-world outdoor exposure tests.

Over a 20-year period, more than 8,000 panels have undergone Q-Fog cyclic testing and salt spray testing in laboratories. A further 10,000 panels have been tested in 22 different exposure sites in Australia and around the world.



Accelerated Testing (>8,000 panels)



Outdoor assessment sites
(> 10,000 panels spread over 22 sites)



Test Huts (5)




Building Applications (~50)

Activate™ shows superior performance to previous generation AZ technology after 22 years at Bellambi Point, The Surf Marine Site.



Exposed panels at Bellambi Point, Wollongong, Australia



Al-Zn alloy-coated ZINCALUME® steel



The new generation of ZINCALUME® steel with Activate™ Technology

THE SUPERIOR DURABLE PAINT SYSTEM


LONG LASTING COLOUR

Durable and hard-wearing, COLORBOND® pre-painted steel offer superior delamination, chalking, stain resistance and gloss retention even under harsh weather conditions. The advanced paint technology in COLORBOND® provides a durable, baked-on paint finish that resist peeling, fading, chipping and cracking to ensure long-lasting vivid colour.

Alternative paint system steel - example



COLORBOND® steel with Activate™ technology



Exposed to weathering for 6 years at Rockhampton (severe UV environment)

Results are based on test of one sample

ACHIEVING SUPERIOR WEATHERING PERFORMANCE THROUGH INNOVATION

BlueScope utilizes optimum paint formulation and pigment blends to provide excellent long-term colour stability for COLORBOND® products. The proprietary paint system is the result of extensive R&D testing, including actual field exposure testing.

It is proven that COLORBOND®'s paint system provides superior durability against weathering and UV degradation, when compared with other pre-painted steel.






LESS HEAT, MORE COMFORT

BlueScope's Thermatech® solar reflectance technology lowers the surface temperature of metals by absorbing less heat from the sun. With Thermatech® Technology, COLORBOND® steel delivers exceptional thermal performance, thus providing superior comfort all year round while reducing the dependence on energy-consuming air-conditioning to overcome the Urban Heat Island (UHI) effect.

Green building rating tools such as the Leadership in Energy and Environment Design (LEED) encourages use of materials with high SRI values to mitigate the UHI effect. COLORBOND® steel with Thermatech® is able to provide higher SRI value thus complying to the green building requirements.

* Solar reflectance index (SRI) is a numerical value used to represent a constructed surface's ability to reflect solar heat. A higher SRI value indicates a roof whose surface temperature is lower due to the higher solar reflectance.



BENEFIT AT A GLANCE

- Thermatech® solar reflectance technology acts as an added form of insulation in hot weather, making it easier for air-conditioning to keep buildings cool.
- Reduce annual cooling energy consumption by up to 15%*.
- Lower peak roof temperature by up to 6°C*.
- Greater comfort while using less energy, which helps to reduce cost and is more environmentally friendly.

* Depending on level of insulation, colour, building shape and function.



THE BEST DEFENCE AGAINST TROPICAL STAINING


In environments exposed to heat and humidity, airborne particles settle on conventional pre-painted steel surfaces, resulting in dark, unsightly stains that give buildings a dirty, aged appearance.

Incorporated into the COLORBOND® paint system, BlueScope's Clean Technology prevents dirt from bonding to the surfaces. As a result, particles remain "loose" and wash away during rainfall, resulting in a cleaner surface.

Dirt does not bond onto COLORBOND® steel
with Clean Technology




Dirt bonds to conventional pre-painted steel



Magnified image of dirt particle



Dark & unsightly dirt staining on the
building's surface cannot be removed



Dirt particles washed off easily after rain





COLORBOND® STEEL LONG LASTING BEAUTY

COLORBOND® steel is a pre-painted premium product of BlueScope, produced by continuous hot-dip metal coating line complying to AS 1397-2011 (Substrate) and AS/NZS 2728-2013 (Paint Coating) standard.


Building on its legacy of innovation, integrating 4 breakthrough technologies, COLORBOND® steel continues to bring art to life through the power of cutting-edge science to provide your project with long lasting beauty.

COLORBOND®'S PRODUCT RANGES

Colorbond® ULTRA

New generation COLORBOND® ULTRA steel with Activate™ technology is an excellent choice for roofs and walls, and provide better protection against extreme environment.

Integrated with Thermatech® technology, Clean technology, and break-through Activate™ technology with 4 phases for superior corrosion resistance, COLORBOND® ULTRA steel is the most suitable building material for severe marine and harsh industrial environments.



SUPERIOR ADVANTAGES



COLORBOND® ULTRA steel with Activate™ technology (AM150):

- Improves surface corrosion resistance.
- Enhances anti-corrosion of cut edges in both washed and unwashed applications.



Superior paint performance that provides the ability to withstand colour fading.



Proprietary Clean Technology provides resistance against dirt staining.



Thermatech® technology reduces roof temperature by up to 6°C**, reducing annual cooling energy consumption by up to 15%**.

* Depending on level of insulation, colour, building shape and its function.



COLORBOND®'S PRODUCT RANGES



CREATE YOUR OWN COLORBOND® STEEL

For projects that need customized solutions, ask for COLORBOND® Custom steel. With a choice of substrates, coating mass, paint systems, colours and finishing, customers have the freedom to customise a COLORBOND® steel product to suit their unique needs.

Coating mass

Choose Activate™ technology coating mass with nominal thickness thinner than new generation COLORBOND® ULTRA AM150.

Colours


Pick from our special colours, Metallic or Pearlescent range, for a more distinct look.

Paint system

Latest generation polymer technology of paint system
COLORBOND® steel uses a superior durability premium paint system with pigments specially selected for high durability. Tested for UV resistance under accelerated tests (ASTM G154) and outdoor field exposure, it is proven that COLORBOND®'s paint system provides superior durability against weathering and UV degradation, when compared with other pre-painted steel.

PVDF paint system
Due to excellent colour and gloss retention, COLORBOND® steel with PVDF paint system is the perfect material for prestigious roofing, walling, architectural panels and building accessories that are exposed to tough weather conditions. COLORBOND® steel uses proprietary PVDF formulation which ensures excellent colour performance.

STANDARD COLOUR CHART



NOTE: The COLORBOND® steel colours shown in the catalogue have been reproduced to represent actual product colours as accurately as possible. However, we recommend you check the chosen colour against actual samples of the product before purchasing as varying light conditions and limitations of printing affect colour tones.



Zincalume®



OVER 40 YEARS, ZINCALUME® STEEL KEEPS GETTING BETTER

Since its launch in 1976, ZINCALUME® steel has emerged as a trusted brand and it is also acknowledged in the industry as one of the best zinc-aluminium alloy-coated steel products available. With Activate™ technology, BlueScope's continuous product innovation ensures ZINCALUME® steel not only outperforms galvanized steel but also remains superior against generic alloy-coated products.

ACTIVATE™ TECHNOLOGY FOR SUPERIOR CORROSION RESISTANCE

ZINCALUME® and ZINCALUME® ULTRA steels with Activate™ technology (AM150):


- Improves surface corrosion resistance.
- Enhances anti-corrosion of edges in both washed and unwashed applications.
- Offers longer warranty periods of up to 36 years*. Warranties are also applicable to projects close to the marine environment*.

* Warranty terms and conditions apply.


LOOK NEWER FOR LONGER WITH ADVANCED RESIN COATING

ZINCALUME® steel with distinct surface has a special clear resin coating on its surface which provides better resistance to dirt marks, moisture and manual handling. The clear resin film on the surface of ZINCALUME® steel acts as a lubricant during roll forming operations.

ZINCALUME® steel will look newer and also maintains its distinctive metallic appearance for a longer period of time.



* Please visit our website www.nsbluescope.com/vn for Product technical data sheet or contact our local representative for more information.



WHERE ART MEETS SCIENCE

The performance of COLORBOND® and ZINCALUME® steel has stood the test of time. COLORBOND® pre-painted steel is the premium choice for commercial, industrial, public and residential infrastructures across Australia and South East Asia, setting the benchmark of excellence in today's global steel industry. Building on its legacy of innovation, COLORBOND® and ZINCALUME® steels continue to bring sustainability and art to life through the power of cutting-edge science and long lasting beauty.



Bluescope Steel Southern Africa (Pty) Ltd

Add No.1 Bridgeway, Bridgeways Precinct, Office 335,
Cape Town, 7441 South Africa

Tel +2721 442 5420

Fax +2721 448 9132

www.bluescopesteel.co.za

The information in this Bulletin is of a general nature only, and has not been prepared with your specific needs in mind. You should always obtain specialist advice to ensure that any materials, approaches and techniques referred to in this Bulletin meet your specific requirements.

BlueScope Steel Southern Africa (Pty) Ltd makes no warranty as to the accuracy, completeness or reliability of any estimates, opinions on other information contained in this Bulletin, and to the maximum extent permitted by law, BlueScope Steel Southern Africa (Pty) Ltd disclaims all liability and responsibility for any loss or damage, direct or indirect, which may be suffered by any person acting in reliance on anything contained in or omitted from this document.

COLORBOND® and ZINCALUME® are registered trade marks of BlueScope Steel Limited.

Thermatech™, Activate™ are trade marks of BlueScope Steel Limited.

BlueScope is a registered trade mark of BlueScope Steel Limited.

Copyright ©2022 BlueScope Steel Limited Southern Africa (Pty) Ltd. All rights reserved. No part of this Bulletin may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without written permission of BlueScope Steel Southern Africa (Pty) Ltd.

